Appendix A – Detailed Group 3 Protocol Transfer Times

The following table shows the time spent in phases A-D of the Group 3 facsimile protocol transferring the test document. Times are averaged over multiple runs. Phases marked with a dash (‘‘-’’) do not exist because the phone was dropped before reaching that state. Totals are calculated over averaged times. Entries are sorted by receiving device and total transfer time.

Destination	Modem	A	B	C[1]	D[1]	C[2]	D[2]	C[3]	D[3]	Total
+121282556xx	Sportster	13.2	3.3	1:53.2	7.5	1:01.0	7.4	1:35.2	7.5	5:08.3
+121282556xx	DataPort	14.2	3.1	1:53.5	7.7	1:01.4	7.6	1:35.8	7.7	5:11.0
+121282556xx	Scout+	14.9	3.5	1:53.1	8.1	1:00.8	8.0	1:35.0	8.1	5:11.5
+121282556xx	Telebit	13.3	4.9	1:53.3	8.3	1:01.1	8.2	1:35.2	8.2	5:12.5
+121282556xx	MultiTech	14.0	4.4	1:53.2	9.4	59.3	10.7	1:32.0	12.0	5:15.0
+121282556xx	Twincom	13.2	4.0	1:53.2	8.7	1:02.3	8.3	1:37.0	8.3	5:15.0
+121282556xx	Supra	13.9	3.6	1:55.1	8.6	1:04.8	8.5	1:39.7	8.5	5:22.7
+121282556xx	ZyXEL	15.8	2.9	1:59.2	7.8	1:08.7	7.7	1:43.9	6.9	5:32.9
+121282556xx	Everex	12.9	3.0	2:09.7	27.9	1:09.3	32.0	1:39.8	33.2	6:47.8
+121522136xx	Supra	19.4	3.7	1:17.0	3.8	39.3	3.8	1:00.2	3.8	3:31.0
+121522136xx	Sportster	19.4	3.4	1:15.6	12.0	37.9	3.2	58.9	3.2	3:33.6
+121522136xx	MultiTech	19.8	2.9	1:16.9	8.9	38.3	4.6	59.3	4.6	3:35.3
+121522136xx	ZyXEL	19.8	2.3	1:20.0	3.5	42.3	3.4	1:03.1	3.4	3:37.8
+121522136xx	Scout+	32.3	3.5	1:15.5	3.5	37.8	3.5	58.8	3.5	3:38.4
+121522136xx	Twincom	18.2	7.7	1:15.7	3.7	38.1	14.0	59.0	9.1	3:45.5
+121522136xx	DataPort	21.1	2.8	1:53.6	3.3	57.2	3.3	1:28.7	3.3	4:53.3
+121522136xx	Everex	22.5	2.7	1:51.3	20.2	53.5	22.0	1:24.4	22.4	5:39.0
+121522136xx	Telebit	-	-	-	-	-	-	-	-	-
+140328387xx	Sportster	14.5	2.9	1:53.1	3.0	56.8	3.0	1:28.2	3.0	4:44.5
+140328387xx	Scout+	15.5	3.2	1:53.1	3.3	56.6	3.3	1:28.1	3.3	4:46.4
+140328387xx	Twincom	15.1	3.7	1:53.3	3.8	56.9	3.8	1:28.3	3.8	4:48.7
+140328387xx	Telebit	14.5	2.6	1:53.3	3.4	56.9	8.2	1:28.3	3.4	4:50.6
+140328387xx	DataPort	15.1	2.7	1:53.5	3.1	57.2	7.6	1:28.6	3.1	4:50.9
+140328387xx	MultiTech	15.6	2.6	1:53.2	5.1	57.0	5.1	1:28.5	5.1	4:52.2
+140328387xx	Supra	15.1	3.4	1:55.1	3.6	58.8	3.6	1:30.1	3.6	4:53.3
+140328387xx	ZyXEL	16.2	2.0	1:59.2	3.3	1:02.7	3.3	1:33.9	3.3	5:03.9
+140328387xx	Everex	13.8	2.6	1:51.0	20.1	53.3	21.7	1:24.4	22.1	5:29.0
+140874538xx	Sportster	17.9	3.2	1:53.2	2.6	57.7	2.6	1:29.9	2.6	4:49.7
+140874538xx	Telebit	17.9	2.8	1:53.3	3.0	57.8	2.9	1:30.0	2.9	4:50.6
+140874538xx	Scout+	19.4	3.4	1:53.1	2.8	57.6	2.8	1:29.8	2.9	4:51.8
+140874538xx	DataPort	19.2	2.9	1:53.6	2.7	58.1	2.7	1:30.3	2.6	4:52.1
+140874538xx	MultiTech	19.7	2.7	1:53.3	4.7	57.4	4.9	1:29.0	5.0	4:56.7
+140874538xx	ZyXEL	20.6	1.9	1:59.2	2.8	1:05.7	2.8	1:39.4	2.8	5:15.2
+140874538xx	Twincom	19.1	3.9	1:53.6	3.4	1:12.3	3.4	1:44.9	3.4	5:24.0
+140874538xx	Supra	18.9	3.6	1:55.6	9.4	1:15.9	3.2	1:50.4	3.2	5:40.2
+140874538xx	Everex	17.9	2.9	2:09.9	22.6	1:09.4	26.8	1:39.7	27.9	6:37.1
+141596576xx	Telebit	15.6	2.7	1:53.2	4.0	1:01.1	4.0	1:35.2	4.0	4:59.8
+141596576xx	DataPort	17.6	2.7	1:53.4	3.8	1:01.4	3.7	1:35.8	3.7	5:02.1
+141596576xx	Scout+	18.4	3.1	1:52.9	3.9	1:00.8	3.9	1:35.1	4.0	5:02.1
+141596576xx	MultiTech	18.0	2.6	1:53.1	5.7	59.4	7.2	1:32.0	8.5	5:06.5
+141596576xx	Twincom	17.0	3.7	1:53.2	4.4	1:02.3	4.4	1:37.1	4.4	5:06.5
+141596576xx	Supra	17.1	4.6	1:55.1	4.3	1:04.9	4.2	1:39.7	4.2	5:14.1
+141596576xx	ZyXEL	18.7	4.1	1:59.1	3.9	1:08.7	3.8	1:43.9	9.0	5:31.2
+141596576xx	Everex	17.9	3.9	2:09.9	27.4	1:09.6	27.9	1:39.8	29.0	6:45.4
+141596576xx	Sportster	16.8	8.0	1:53.1	-	-	-	-	-	-
+141623971xx	Sportster	16.9	3.3	1:53.2	4.3	1:01.0	4.3	1:35.2	2.7	5:00.9

 © Sam Leffler and Silicon

Destination	Modem	A	B	C[1]	D[1]	C[2]	D[2]	C[3]	D[3]	Total
+141623971xx	Scout+	17.7	3.4	1:53.1	4.6	1:00.8	4.6	1:35.0	3.0	5:02.2
+141623971xx	Telebit	20.0	2.9	1:53.2	4.6	1:01.1	4.6	1:35.2	3.1	5:04.7
+141623971xx	DataPort	21.4	3.0	1:53.4	4.4	1:01.5	4.4	1:35.8	2.8	5:06.7
+141623971xx	MultiTech	20.3	2.8	1:53.2	6.4	59.4	7.7	1:32.0	7.4	5:09.2
+141623971xx	ZyXEL	21.4	3.9	1:59.1	4.5	1:08.7	4.5	1:43.9	6.1	5:32.1
+141623971xx	Supra	20.2	5.3	2:33.2	4.9	1:23.7	4.9	2:09.3	3.3	6:44.8
+141623971xx	Everex	27.4	2.9	2:09.7	24.4	1:09.3	28.5	1:39.9	28.0	6:50.1
+141623971xx	Twincom	14.7	8.0	3:46.0	5.1	1:56.7	5.1	3:04.0	3.5	9:23.1
+141636206xx	Scout+	16.7	3.6	1:15.5	3.2	39.6	3.3	1:01.7	3.3	3:26.9
+141636206xx	ZyXEL	19.0	4.0	1:20.0	3.1	46.3	3.2	1:09.8	3.1	3:48.5
+141636206xx	Twincom	17.7	4.0	1:16.4	3.7	57.4	3.7	1:15.9	3.6	4:02.4
+141636206xx	Supra	18.6	5.2	1:18.0	3.4	1:00.4	3.5	1:20.8	3.5	4:13.4
+141636206xx	DataPort	16.3	3.0	1:53.6	3.0	58.1	3.2	1:30.3	3.1	4:50.6
+141636206xx	Telebit	19.9	2.8	1:53.3	3.3	57.8	3.4	1:30.0	3.4	4:53.9
+141636206xx	MultiTech	19.7	2.8	1:53.3	5.1	57.4	5.4	1:29.0	5.5	4:58.2
+141636206xx	Sportster	18.2	15.7	1:53.2	3.0	57.7	3.1	1:29.9	3.0	5:03.8
+141636206xx	Everex	17.0	2.4	2:10.0	22.9	1:09.4	27.1	1:39.7	28.2	6:36.7
+141696989xx	Sportster	19.4	3.4	1:53.2	2.9	57.7	2.9	1:29.9	2.9	4:52.3
+141696989xx	DataPort	22.0	3.2	1:53.6	2.9	58.2	2.9	1:30.3	2.9	4:56.0
+141696989xx	MultiTech	28.0	2.9	1:53.3	5.0	57.3	5.1	1:29.1	5.4	5:06.1
+141696989xx	ZyXEL	20.4	2.0	1:59.3	3.1	1:05.7	3.1	1:39.4	3.1	5:16.1
+141696989xx	Supra	20.5	3.8	1:55.7	3.5	1:15.9	3.5	1:50.3	3.4	5:36.6
+141696989xx	Everex	21.7	4.4	2:09.7	23.0	1:09.4	27.0	1:39.9	28.1	6:43.2
+141696989xx	Scout+	20.4	9.5	1:53.2	-	-	-	-	-	-
+141696989xx	Telebit	20.2	9.8	1:53.3	14.8	-	-	-	-	-
+141696989xx	Twincom	17.4	13.8	1:53.7	-	-	-	-	-	-
+150866368xx	Supra	20.6	3.7	1:16.9	3.7	39.4	3.7	1:00.3	3.7	3:32.0
+150866368xx	MultiTech	21.3	2.9	1:16.9	4.5	38.3	4.5	59.3	4.4	3:32.1
+150866368xx	Scout+	26.9	3.7	1:15.4	3.4	37.8	3.4	58.8	3.4	3:32.8
+150866368xx	ZyXEL	22.1	12.9	1:19.9	3.3	42.3	3.3	1:03.1	3.3	3:50.2
+150866368xx	DataPort	20.6	2.8	1:53.5	3.2	57.2	3.2	1:28.6	3.2	4:52.3
+150866368xx	Telebit	22.8	2.7	1:53.2	3.5	56.9	3.5	1:28.3	3.5	4:54.4
+150866368xx	Everex	21.8	2.7	1:51.0	20.3	53.3	21.8	1:24.9	21.9	5:37.7
+150866368xx	Sportster	20.3	-	-	-	-	-	-	-	-
+150866368xx	Twincom	20.1	11.3	1:15.7	-	-	-	-	-	-
+151084934xx	Sportster	11.9	3.5	1:15.4	2.8	37.9	2.8	58.8	2.8	3:15.9
+151084934xx	Scout+	13.2	3.6	1:15.4	3.1	37.8	3.1	58.7	3.1	3:18.0
+151084934xx	MultiTech	13.8	3.0	1:16.9	4.2	38.2	4.2	59.3	4.1	3:23.7
+151084934xx	Twincom	20.7	4.1	1:15.6	3.2	38.0	3.2	59.0	3.2	3:27.0
+151084934xx	ZyXEL	14.2	2.4	1:19.9	3.1	42.3	3.0	1:03.1	3.0	3:31.0
+151084934xx	Supra	33.3	3.9	1:16.8	3.4	39.3	3.4	1:00.2	3.4	3:43.7
+151084934xx	DataPort	10.8	6.5	1:53.4	2.9	57.2	2.9	1:28.6	2.9	4:45.2
+151084934xx	Telebit	20.7	2.8	1:53.2	3.2	56.9	3.2	1:28.3	3.2	4:51.5
+151084934xx	Everex	20.5	2.8	1:51.1	19.9	53.4	21.4	1:24.9	21.5	5:35.5
+151292941xx	Sportster	17.9	3.1	1:53.0	3.1	1:01.0	3.1	1:35.2	2.6	4:59.0
+151292941xx	Telebit	18.2	2.7	1:53.1	3.4	1:01.1	3.4	1:35.2	2.9	5:00.0
+151292941xx	Scout+	19.5	3.3	1:53.0	3.3	1:00.8	3.3	1:35.0	2.8	5:01.0
+151292941xx	DataPort	18.8	2.9	1:53.4	3.1	1:01.4	3.1	1:35.8	2.6	5:01.1
+151292941xx	MultiTech	19.2	2.7	1:53.1	5.2	59.4	6.5	1:32.0	7.2	5:05.3
+151292941xx	Supra	19.0	5.0	1:55.0	3.7	1:04.9	3.7	1:39.7	3.1	5:14.1
+151292941xx	ZyXEL	20.1	2.0	1:59.1	3.3	1:08.7	3.3	1:43.9	2.8	5:23.2
+151292941xx	Everex	25.1	2.7	2:09.7	23.0	1:09.3	27.2	1:39.8	27.8	6:44.6

Destination	Modem	A	B	C[1]	D[1]	C[2]	D[2]	C[3]	D[3]	Total
+151292941xx	Twincom	18.8	11.8	1:53.1	3.5	1:02.2	3.4	3:49.3	3.5	7:25.6
+151974615xx	Telebit	11.6	2.6	1:53.2	3.2	56.9	3.2	1:28.3	3.2	4:42.2
+151974615xx	Scout+	14.6	3.0	1:52.9	3.1	56.6	3.1	1:28.0	3.1	4:44.4
+151974615xx	DataPort	12.9	4.0	1:53.4	2.9	57.2	2.9	1:28.7	2.9	4:44.9
+151974615xx	Supra	15.4	3.4	1:55.0	3.4	58.7	3.4	1:30.1	3.4	4:52.8
+151974615xx	ZyXEL	13.4	1.9	1:59.1	3.1	1:02.7	3.1	1:33.9	3.1	5:00.3
+151974615xx	Everex	17.3	2.6	1:51.2	19.6	53.2	21.5	1:24.8	21.5	5:31.7
+151974615xx	MultiTech	13.5	8.1	1:53.1	-	-	-	-	-	-
+151974615xx	Sportster	16.2	7.9	1:53.0	-	-	-	-	-	-
+151974615xx	Twincom	14.9	-	-	-	-	-	-	-	-
+151974637xx	Sportster	13.6	3.1	1:53.3	7.1	57.7	7.1	1:29.9	2.7	4:54.5
+151974637xx	Telebit	12.7	2.8	1:53.5	7.8	57.8	7.9	1:30.0	3.0	4:55.5
+151974637xx	Scout+	14.3	3.3	1:53.3	7.7	57.6	7.7	1:29.8	3.0	4:56.7
+151974637xx	DataPort	14.9	2.9	1:53.6	7.2	58.1	7.3	1:30.3	2.8	4:57.1
+151974637xx	MultiTech	17.3	2.8	1:53.4	9.0	57.3	9.2	1:29.0	5.2	5:03.2
+151974637xx	ZyXEL	15.1	2.0	1:59.4	7.3	1:05.7	7.4	1:39.4	2.9	5:19.2
+151974637xx	Twincom	13.3	5.2	1:53.7	8.3	1:12.3	8.3	1:45.0	3.5	5:29.6
+151974637xx	Supra	14.4	3.6	1:55.9	13.9	1:15.9	8.2	1:50.3	3.3	5:45.5
+151974637xx	Everex	18.1	2.8	2:09.7	27.6	1:09.4	31.8	1:39.8	28.1	6:47.3
+160278928xx	Sportster	18.5	3.1	1:53.4	2.7	57.7	2.7	1:29.9	2.7	4:50.7
+160278928xx	Telebit	18.7	2.8	1:53.5	3.1	57.8	3.1	1:30.0	3.1	4:52.1
+160278928xx	DataPort	19.0	2.9	1:53.7	2.8	58.1	2.8	1:30.3	2.8	4:52.4
+160278928xx	MultiTech	19.4	2.7	1:53.5	4.7	57.3	5.0	1:29.1	5.1	4:56.8
+160278928xx	Scout+	34.4	3.4	1:53.2	3.0	57.6	3.0	1:29.8	3.0	5:07.4
+160278928xx	ZyXEL	20.8	1.9	1:59.4	2.9	1:05.7	2.9	1:39.4	2.9	5:15.9
+160278928xx	Twincom	19.3	3.9	1:53.8	3.6	1:12.3	3.6	1:44.9	3.5	5:24.9
+160278928xx	Supra	19.7	4.8	1:55.9	3.3	1:15.9	3.3	1:50.4	3.3	5:36.6
+160278928xx	Everex	25.9	2.8	2:09.9	22.8	1:09.4	26.9	1:39.8	27.9	6:45.4
+160496057xx	Sportster	24.0	3.6	1:15.7	2.6	37.9	2.7	58.8	2.6	3:27.9
+160496057xx	Scout+	25.6	3.8	1:15.7	2.9	37.8	2.9	58.8	2.9	3:30.4
+160496057xx	Twincom	24.5	4.1	1:15.8	3.5	38.0	3.5	59.0	3.5	3:31.9
+160496057xx	MultiTech	25.4	3.1	1:17.2	4.2	38.3	4.1	59.3	4.1	3:35.7
+160496057xx	Supra	25.1	5.4	1:17.2	3.3	39.3	3.3	1:00.3	3.3	3:37.2
+160496057xx	ZyXEL	26.9	2.2	1:20.2	2.9	42.3	2.9	1:03.1	2.9	3:43.4
+160496057xx	Telebit	24.3	3.0	1:53.7	3.0	56.9	3.0	1:28.3	3.0	4:55.2
+160496057xx	DataPort	25.1	3.1	1:53.8	2.8	57.2	2.8	1:28.6	2.8	4:56.2
+160496057xx	Everex	23.8	2.9	1:51.4	19.9	53.4	21.3	1:24.4	21.8	5:38.9
+161723336xx	Sportster	12.7	2.9	1:53.2	2.9	56.9	2.9	1:28.2	2.9	4:42.6
+161723336xx	Telebit	12.5	2.5	1:53.3	3.2	56.9	3.2	1:28.3	3.2	4:43.1
+161723336xx	DataPort	13.4	2.7	1:53.6	2.9	57.2	2.9	1:28.6	2.9	4:44.2
+161723336xx	Scout+	14.1	3.0	1:53.1	3.1	56.6	3.1	1:28.1	3.1	4:44.2
+161723336xx	MultiTech	13.4	3.5	1:53.2	5.0	57.1	4.9	1:28.5	4.9	4:50.5
+161723336xx	Supra	13.4	3.4	1:55.2	3.4	58.7	3.4	1:30.1	3.4	4:51.0
+161723336xx	ZyXEL	13.8	1.9	1:59.2	3.0	1:02.7	3.0	1:33.9	3.0	5:00.5
+161723336xx	Everex	17.7	2.6	1:51.4	19.8	53.6	21.5	1:24.9	21.5	5:33.0
+161723336xx	Twincom	13.0	-	-	-	-	-	-	-	-
+161945506xx	Sportster	14.7	3.3	1:53.2	3.0	1:01.0	2.9	1:35.2	3.0	4:56.3
+161945506xx	Telebit	15.0	2.9	1:53.3	3.3	1:01.1	3.3	1:35.2	3.3	4:57.4
+161945506xx	Scout+	16.4	3.5	1:53.2	3.2	1:00.8	3.2	1:35.1	3.3	4:58.7
+161945506xx	Twincom	15.6	3.9	1:53.3	3.8	1:02.3	3.8	1:37.0	3.8	5:03.5
+161945506xx	MultiTech	16.4	4.2	1:53.2	5.1	59.4	6.4	1:32.0	7.7	5:04.4
+161945506xx	DataPort	15.9	4.1	1:53.6	3.0	1:01.5	3.0	1:45.1	3.0	5:09.2

 © Sam Leffler and Silicon

Destination	Modem	A	B	C[1]	D[1]	C[2]	D[2]	C[3]	D[3]	Total
+161945506xx	Supra	16.3	3.7	1:55.2	9.7	1:04.9	3.6	1:39.7	3.6	5:16.7
+161945506xx	Everex	16.1	2.6	2:09.7	23.2	1:09.6	27.1	1:39.9	28.3	6:36.5
+161945506xx	ZyXEL	18.3	6.2	1:59.2	3.2	1:15.1	17.7	-	-	-
+161954639xx	Sportster	16.1	3.2	1:53.2	7.4	1:01.0	3.0	1:35.2	7.4	5:06.5
+161954639xx	Telebit	16.1	2.8	1:53.3	8.2	1:01.1	3.4	1:35.2	8.2	5:08.3
+161954639xx	DataPort	16.8	2.9	1:53.6	7.5	1:01.4	3.2	1:35.8	7.5	5:08.7
+161954639xx	MultiTech	17.7	2.7	1:53.3	9.4	59.4	10.6	1:32.0	11.9	5:17.0
+161954639xx	Twincom	16.6	3.8	1:53.3	8.3	1:02.3	8.3	1:37.1	8.3	5:18.0
+161954639xx	Scout+	31.4	6.3	1:53.2	8.1	1:00.8	3.3	1:35.1	8.0	5:26.2
+161954639xx	Supra	17.3	3.6	1:55.2	14.5	1:04.8	3.6	1:39.7	8.5	5:27.2
+161954639xx	ZyXEL	18.2	4.3	1:59.2	7.7	1:08.7	10.0	1:43.9	9.7	5:41.7
+161954639xx	Everex	15.7	2.8	2:09.8	28.0	1:09.4	32.0	1:39.7	33.2	6:50.6
+170825003xx	Sportster	14.7	3.3	1:15.5	3.0	37.9	3.1	58.8	3.0	3:19.3
+170825003xx	Supra	14.5	3.6	1:16.9	3.6	39.3	3.6	1:00.2	3.6	3:25.3
+170825003xx	MultiTech	16.5	2.9	1:16.9	4.4	38.2	4.4	59.2	4.4	3:26.9
+170825003xx	ZyXEL	16.1	2.3	1:20.0	3.2	42.3	3.2	1:03.1	3.2	3:33.4
+170825003xx	Scout+	33.8	3.5	1:15.5	3.4	37.8	3.3	58.7	3.3	3:39.3
+170825003xx	DataPort	14.4	2.8	1:53.6	3.1	57.2	3.1	1:28.6	3.1	4:45.9
+170825003xx	Telebit	15.7	2.7	1:53.3	3.4	56.9	3.4	1:28.3	3.4	4:47.1
+170825003xx	Everex	14.8	2.7	1:51.2	20.3	53.3	21.8	1:24.4	22.2	5:30.7
+170836718xx	Sportster	13.3	3.6	1:15.4	2.8	37.9	2.9	58.8	2.9	3:17.6
+170836718xx	Scout+	14.7	3.9	1:15.4	3.1	37.8	3.2	58.7	3.2	3:20.0
+170836718xx	MultiTech	14.5	3.1	1:16.8	4.3	38.2	4.2	59.3	4.2	3:24.6
+170836718xx	Twincom	13.8	4.2	1:15.6	3.3	38.1	3.2	59.1	8.3	3:25.6
+170836718xx	ZyXEL	15.3	2.5	1:19.9	3.1	42.3	3.1	1:03.1	3.0	3:32.3
+170836718xx	DataPort	15.9	3.0	1:53.4	2.9	57.2	3.0	1:28.6	2.9	4:46.9
+170836718xx	Telebit	22.3	3.0	1:53.2	3.2	56.9	3.2	1:28.3	3.3	4:53.4
+170836718xx	Everex	21.5	2.9	1:50.8	20.1	53.3	21.5	1:24.5	22.0	5:36.6
+170836718xx	Supra	20.2	13.9	1:16.8	-	-	-	-	-	-
+170889876xx	Sportster	12.3	3.4	1:15.5	2.6	37.9	2.6	58.8	2.6	3:15.7
+170889876xx	Scout+	14.2	3.6	1:15.5	2.9	37.8	2.9	58.7	2.9	3:18.5
+170889876xx	Twincom	13.1	3.9	1:15.7	3.0	38.1	3.0	59.0	3.0	3:18.8
+170889876xx	MultiTech	13.1	2.9	1:17.0	4.1	38.2	4.0	59.3	4.0	3:22.6
+170889876xx	ZyXEL	14.1	2.3	1:20.0	2.8	42.3	2.8	1:03.1	2.9	3:30.3
+170889876xx	Telebit	12.9	2.7	1:53.3	3.0	56.9	3.0	1:28.3	3.0	4:43.1
+170889876xx	DataPort	13.1	2.8	1:53.5	2.7	57.2	2.7	1:28.6	2.7	4:43.3
+170889876xx	Everex	12.6	2.7	1:51.0	19.7	53.5	21.3	1:24.4	21.6	5:26.8
+170889876xx	Supra	13.9	-	-	-	-	-	-	-	-
+171864874xx	Sportster	29.6	3.1	1:53.2	2.8	1:01.0	2.8	1:35.2	2.8	5:10.5
+171864874xx	DataPort	31.0	2.8	1:53.6	2.8	1:01.5	2.8	1:35.8	2.8	5:13.1
+171864874xx	Scout+	32.6	2.8	1:53.2	3.1	1:00.9	3.1	1:35.0	3.1	5:13.8
+171864874xx	MultiTech	30.7	2.7	1:53.3	4.9	59.4	6.2	1:32.0	7.5	5:16.7
+171864874xx	Twincom	30.9	3.8	1:53.4	3.2	1:02.3	3.2	1:37.0	3.2	5:17.0
+171864874xx	Supra	30.9	3.5	1:55.2	9.7	1:04.8	3.4	1:39.7	3.3	5:30.5
+171864874xx	ZyXEL	31.8	2.0	1:59.3	3.0	1:08.7	3.0	1:43.9	3.0	5:34.7
+171864874xx	Everex	35.3	2.7	2:09.9	22.8	1:09.6	26.9	1:39.7	28.1	6:55.0
+171864874xx	Telebit	-	-	-	-	-	-	-	-	-
+181830557xx	Everex	26.1	3.8	3:32.2	35.2	1:36.1	35.8	2:37.3	35.5	10:02.0
+181830557xx	Twincom	21.9	4.6	7:31.8	8.4	3:46.6	3.1	5:51.9	3.2	17:51.5
+181830557xx	Telebit	21.7	2.9	3:46.6	3.2	1:53.9	3.2	2:56.6	3.2	9:11.3
+181830557xx	Sportster	21.5	6.4	3:46.1	2.7	1:53.5	2.7	2:56.3	2.8	9:12.0
+181830557xx	DataPort	23.8	3.0	3:46.8	2.8	1:54.2	2.8	2:57.0	2.8	9:13.2

Destination	Modem	A	B	C[1]	D[1]	C[2]	D[2]	C[3]	D[3]	Total
+181830557xx	Scout+	23.3	5.8	3:45.9	3.1	1:53.2	3.0	2:56.0	3.1	9:13.4
+181830557xx	MultiTech	23.0	2.8	3:45.3	7.0	1:53.1	6.9	2:56.1	6.9	9:21.1
+181830557xx	Supra	23.9	5.4	3:49.8	3.4	1:57.1	3.4	2:59.9	3.4	9:26.3
+181830557xx	ZyXEL	25.5	2.1	3:57.2	2.9	2:04.2	2.9	3:06.7	3.0	9:44.5
+191858837xx	Sportster	10.0	2.8	1:53.2	2.6	1:01.0	2.7	1:35.2	2.7	4:50.2
+191858837xx	Telebit	9.9	2.5	1:53.4	3.0	1:01.1	3.0	1:35.2	3.0	4:51.1
+191858837xx	MultiTech	11.0	2.5	1:53.3	4.8	59.4	6.1	1:32.0	7.4	4:56.5
+191858837xx	Twincom	10.4	3.6	1:53.4	3.5	1:02.3	3.4	1:37.0	3.5	4:57.1
+191858837xx	Supra	10.4	4.3	1:55.2	3.3	1:04.9	3.3	1:39.7	3.3	5:04.4
+191858837xx	Scout+	31.5	2.5	1:53.2	3.0	1:00.8	3.0	1:35.1	3.0	5:12.1
+191858837xx	ZyXEL	11.3	1.9	1:59.3	2.9	1:08.7	2.9	1:43.9	2.9	5:13.8
+191858837xx	DataPort	10.2	3.9	1:53.6	2.7	1:07.4	5.7	2:03.7	2.7	5:29.9
+191858837xx	Everex	-	-	-	-	-	-	-	-	-
+41142227xx	MultiTech	23.8	4.8	1:16.9	4.2	38.3	4.2	59.3	4.6	3:36.1
+41142227xx	DataPort	21.5	2.7	1:53.5	2.9	57.2	2.9	1:28.6	3.0	4:52.3
+41142227xx	Everex	40.3	3.0	1:51.1	20.0	53.4	21.4	1:24.5	22.0	5:55.7
+41142227xx	Scout+	23.1	13.3	1:15.4	-	-	-	-	-	-
+41142227xx	Sportster	20.1	9.3	1:15.5	-	-	-	-	-	-
+41142227xx	Supra	22.2	10.1	1:16.9	-	-	-	-	-	-
+41142227xx	Telebit	37.4	14.5	-	-	-	-	-	-	-
+41142227xx	Twincom	21.4	-	-	-	-	-	-	-	-
+41142227xx	ZyXEL	22.1	15.3	1:19.9	16.7	-	-	-	-	-
+446127560xx	Twincom	26.8	4.6	1:53.3	3.6	56.9	3.6	1:28.3	-	-
+446127560xx	Scout+	27.0	3.6	1:53.2	3.0	56.7	3.0	1:28.0	3.0	4:57.5
+446127560xx	DataPort	26.4	3.1	1:53.6	2.9	57.2	2.9	1:28.6	2.9	4:57.6
+446127560xx	MultiTech	26.9	2.9	1:53.2	4.9	57.1	4.9	1:28.6	4.9	5:03.4
+446127560xx	Supra	26.5	3.7	1:55.1	3.4	58.7	3.4	1:30.0	3.4	5:04.2
+446127560xx	ZyXEL	28.4	2.0	1:59.2	3.0	1:02.7	3.0	1:33.9	3.0	5:15.2
+446127560xx	Everex	25.7	3.0	1:51.0	20.0	53.4	21.4	1:24.3	21.9	5:40.7
+446127560xx	Sportster	25.9	9.2	1:53.3	-	-	-	-	-	-
+446127560xx	Telebit	-	-	-	-	-	-	-	-	-
+446127561xx	Twincom	22.4	4.0	1:15.6	3.7	38.1	3.7	59.0	3.7	3:30.2
+446127561xx	MultiTech	23.5	2.9	1:16.9	4.6	38.2	4.5	59.3	4.5	3:34.4
+446127561xx	Supra	32.9	5.1	1:16.9	3.8	39.4	3.8	1:00.2	3.7	3:45.8
+446127561xx	Telebit	21.1	2.7	1:53.2	3.6	56.9	3.6	1:28.3	3.6	4:53.0
+446127561xx	DataPort	43.4	2.8	1:53.5	3.2	57.2	3.2	1:28.6	3.3	5:15.2
+446127561xx	Everex	41.8	2.7	1:50.8	20.5	53.6	22.0	1:24.4	22.3	5:58.1
+446127561xx	Scout+	27.1	-	-	-	-	-	-	-	-
+446127561xx	Sportster	35.9	9.5	1:15.6	-	-	-	-	-	-
+446127561xx	ZyXEL	-	-	-	-	-	-	-	-	-
+4681025xx	Sportster	16.2	3.2	1:53.2	2.8	57.7	2.9	1:29.9	2.8	4:48.7
+4681025xx	Telebit	16.0	2.8	1:53.4	3.2	57.8	3.1	1:30.0	3.2	4:49.5
+4681025xx	DataPort	17.0	3.0	1:53.6	2.9	58.1	2.9	1:30.3	2.9	4:50.7
+4681025xx	MultiTech	17.3	2.8	1:53.3	4.9	57.4	5.1	1:29.0	5.3	4:55.1
+4681025xx	Scout+	31.8	3.4	1:53.2	3.1	57.6	3.1	1:29.8	3.1	5:05.1
+4681025xx	ZyXEL	18.6	2.0	1:59.3	3.1	1:05.7	3.1	1:39.4	3.0	5:14.2
+4681025xx	Twincom	16.7	10.0	1:53.8	3.7	1:12.3	3.7	1:44.9	3.6	5:28.7
+4681025xx	Supra	17.4	3.7	1:55.8	3.4	1:15.9	3.4	1:50.4	3.4	5:33.4
+4681025xx	Everex	23.2	3.0	2:09.9	22.8	1:09.4	27.0	1:39.8	28.2	6:43.3
+49428616xx	Sportster	28.1	3.5	1:53.1	3.2	1:01.0	3.2	1:35.2	3.2	5:10.5
+49428616xx	Telebit	30.7	3.1	1:53.2	3.6	1:01.1	3.6	1:35.2	3.6	5:14.1
+49428616xx	DataPort	31.5	4.8	1:53.5	3.2	1:01.4	3.3	1:35.8	3.3	5:16.8

 © Sam Leffler and Silicon

Destination	Modem	A	B	C[1]	D[1]	C[2]	D[2]	C[3]	D[3]	Total
+49428616xx	Scout+	33.6	3.8	1:53.1	3.5	1:00.9	3.5	1:35.1	3.5	5:17.0
+49428616xx	MultiTech	29.2	6.2	1:53.2	5.3	59.4	6.7	1:32.0	7.9	5:19.9
+49428616xx	Twincom	29.3	7.9	1:53.2	3.6	1:02.3	3.6	1:37.1	3.6	5:20.6
+49428616xx	Supra	29.8	3.8	1:55.1	3.8	1:04.9	3.8	1:39.8	3.8	5:24.8
+49428616xx	ZyXEL	30.6	2.2	1:59.2	3.4	1:08.7	3.4	1:43.9	3.4	5:34.8
+49428616xx	Everex	33.8	5.7	2:09.8	23.2	1:09.3	27.4	1:39.7	28.6	6:57.5
+495115613xx	Telebit	26.8	2.9	1:53.3	8.1	57.8	8.1	1:30.0	3.2	5:10.2
+495115613xx	Sportster	29.2	3.3	1:53.2	7.3	57.7	7.3	1:29.9	2.9	5:10.8
+495115613xx	Scout+	28.4	3.4	1:53.1	7.9	57.6	7.9	1:29.8	3.2	5:11.3
+495115613xx	DataPort	30.4	3.0	1:53.5	7.4	58.1	7.4	1:30.3	3.0	5:13.1
+495115613xx	MultiTech	30.8	2.8	1:53.2	9.2	57.4	9.4	1:29.0	5.4	5:17.2
+495115613xx	ZyXEL	31.6	2.0	1:59.3	7.5	1:05.7	7.6	1:39.4	3.1	5:36.2
+495115613xx	Twincom	26.5	3.9	1:53.6	8.4	1:12.3	8.4	1:44.9	3.6	5:41.6
+495115613xx	Supra	29.6	5.1	1:55.7	8.4	1:32.9	8.4	2:19.9	3.5	6:43.5
+495115613xx	Everex	36.2	2.9	2:09.8	27.8	1:09.5	32.0	1:39.8	28.2	7:06.2
+495117178xx	Sportster	20.6	3.8	1:15.5	2.9	37.9	2.9	58.8	3.0	3:25.4
+495117178xx	Twincom	24.8	4.3	1:15.7	3.3	38.1	3.3	59.0	3.4	3:31.9
+495117178xx	MultiTech	23.0	3.2	1:15.7	4.3	38.3	4.3	59.3	4.3	3:32.4
+495117178xx	ZyXEL	22.8	2.7	1:20.0	3.2	42.3	3.2	1:03.1	3.1	3:40.4
+495117178xx	Scout+	35.0	3.9	1:15.5	3.2	37.8	3.2	58.7	3.2	3:40.5
+495117178xx	DataPort	22.7	3.2	1:53.5	3.0	57.2	3.0	1:28.6	3.0	4:54.2
+495117178xx	Telebit	42.3	4.5	1:53.3	3.3	56.9	3.3	1:28.3	3.3	5:15.2
+495117178xx	Everex	29.5	3.0	1:51.1	20.1	53.3	21.6	1:24.8	21.7	5:45.1
+495117178xx	Supra	37.1	11.9	1:17.7	-	-	-	-	-	-
+4956180442xx	Telebit	26.8	3.1	1:53.9	5.1	1:10.9	5.1	1:45.9	3.3	5:34.1
+4956180442xx	Sportster	23.4	3.5	1:53.9	7.5	1:10.8	7.3	1:45.8	2.9	5:35.1
+4956180442xx	Twincom	27.6	4.1	1:53.9	5.1	1:12.2	5.1	1:44.9	3.7	5:36.6
+4956180442xx	DataPort	25.6	3.2	1:54.2	7.5	1:11.2	7.5	1:46.2	3.0	5:38.4
+4956180442xx	MultiTech	26.9	3.0	1:53.7	7.1	1:06.7	10.7	1:38.1	12.2	5:38.4
+4956180442xx	Supra	25.2	3.9	1:56.0	5.1	1:15.9	5.1	1:50.4	3.5	5:45.1
+4956180442xx	ZyXEL	29.2	2.0	1:59.7	3.7	1:16.7	3.7	1:53.0	3.2	5:51.2
+4956180442xx	Scout+	30.3	14.8	3:46.6	8.0	2:01.6	8.0	3:09.9	12.7	10:11.9
+4956180442xx	Everex	-	-	-	-	-	-	-	-	-
+4991318587xx	MultiTech	20.7	6.9	1:53.4	4.8	57.0	5.2	57.1	4.8	4:29.9
+4991318587xx	Sportster	20.1	3.7	1:53.3	2.7	56.8	2.7	1:28.2	2.7	4:50.2
+4991318587xx	DataPort	18.7	4.0	1:53.7	2.8	57.2	2.8	1:28.6	2.8	4:50.6
+4991318587xx	Scout+	19.4	6.1	1:53.3	3.0	56.6	3.0	1:28.1	2.9	4:52.4
+4991318587xx	Supra	18.9	3.4	1:55.4	3.3	58.7	3.3	1:30.1	3.3	4:56.4
+4991318587xx	Everex	19.9	3.1	1:51.3	19.7	53.4	21.4	1:24.4	21.7	5:34.9
+4991318587xx	ZyXEL	20.1	4.8	1:59.4	2.9	1:59.4	2.9	1:02.7	2.9	5:35.1
+4991318587xx	Twincom	18.9	6.1	1:53.5	3.1	2:31.1	3.1	1:15.8	3.1	6:14.7
+4991318587xx	Telebit	34.8	14.6	-	-	-	-	-	-	-